Average relative humidity and departures from the normal.

Districts.	Average.	Departure from the normal.	Districts.	Average.	Departure from the normal.
New England Middle Atlantic South Atlantic Florida Peninsula. East Gulf West Gulf Ohio Valley and Tenuessee Lower Lake Upper Lake Vorth Dakota Upper Mississippi Valley	72 67 69 70 73 68 69 73 70 66	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Missouri Valley Northern Slope Middle Slope Southern Slope Southern Plateau Middle Plateau Northern Plateau Northern Plateau Middle Pacific Middle Pacific South Pacific	63 62 60 55 33 51 59 76 66 71	$ \begin{array}{r} -2 \\ +4 \\ +3 \\ 0 \\ +3 \\ +6 \\ +2 \\ 0 \\ -4 \\ +3 \end{array} $

ATMOSPHERIC ELECTRICITY.

Numerical statistics relative to auroras and thunderstorms are given in Table IV, which shows the number of stations from which meteorological reports were received, and the number of such stations reporting thunderstorms (T) and auroras (A) in each State and on each day of the month, respectively.

Thunderstorms.—Reports of 2677 thunderstorms were received during the current month as against 2404 in 1902 and 2149 during the preceding month.

The dates on which the number of reports of thunderstorms for the whole country was most numerous were: 12th, 335; 11th, 176; 19th, 166.

Reports were most numerous from: Missouri, 301; Iowa, 164; Illinois, 148; Tennessee, 147.

Auroras.—The evenings on which bright moonlight must have interfered with observations of faint auroras are assumed to be the four preceding and following the date of full moon, viz: 7th to 15th.

In Canada: Thunderstorms were reported at St. John, N. F.,

18th; Bissett, 2d: Toronto, 30th; Port Stanley, 2d, 3d; Parry Sound, 2d, 30th; Medicine Hat, 22d; Hamilton, Bermuda, 22d, Sable Island, 24th. Auroras were reported at Quebec, 26th; Montreal, 2d; Minnedosa, 27th; Swift Current, 5th.

WIND.

The maximum wind velocity at each Weather Bureau station for a period of five minutes is given in Table I, which also gives the altitude of Weather Bureau anemometers above ground.

Following are the velocities of 50 miles and over per hour registered during the month:

Maximum wind velocities.

Stations.	Date.	Velocity.	Direction.	Stations.	Date.	Velocity.	Direction.
Amarillo, Tex	2 3	50 50	w. nw.	Mount Tamalpais, Cal	17 18	51 56	nw.
Block Island, R. I	4	54	nw.	Do	25	55	DW.
Do	14	55	ne.	l Do	26	67	nw.
Do	15	60	ne.	New York, N. Y	4	55	nw.
Do	16	53	ne.	Do	15	52	ne.
Do	17	51	n.	Do	18	53	nw.
Buffalo, N. Y	9	51	w.	North Head. Wash	21	50	8e.
Do	30	52	w.	Point Reyes Light, Cal	1	77	nw.
Cape Henry, Va	4	55	nw.	Do	2	58	nw.
Chicago, Ill	2	53	s.	<u> Φ</u> ο	3	60	DW.
Do	3	51	ne.	Do	4	71	nw.
Cleveland, Ohio	3	50	nw.	Do	5	52	nw.
Columbus, Ohio	12	52	sw.	Po	9	62 60	nw.
El Paso, Tex	2 3	73 50	sw.	Po	10 17	55	nw.
Fort Smith, Ark	4	53	w.	Do	22	58	nw,
Hatteras, N. C	14	53 52	n. w.	Do	23	52	nw.
Jacksonville, Fla	13	51	sw.	Do	25	59	nw.
Lexington, Ky	8	50	nw.	Do	$\frac{26}{26}$	70	DA.
Memphis, Tenn	3	56	w.	Syracuse, N. Y.	20	55	8.
Do	8	64	nw.	Do	30	58	nw.
Mount Tamalpais, Cal	4	54	nw.	Tatoosh Island, Wash	3	50	SW.
Do	5	56	n.	Do	5	51	sw.
Do	ğ	71	nw.	Do	6	55	sw.
Do	10	56	DW.	Do	7	55	nw.
Do	13	50	nw.	Valentine, Nebr	17	55	se.
Do	14	59	DW.				
				l l			l

DESCRIPTION OF TABLES AND CHARTS.

By Mr. W. B. STOCKMAN, Forecast Official, in charge of Division of Meteorological Records.

For description of tables and charts see page 582 of Review for December, 1902.

26----5